

## INDEX TO VOLUME XXVIII

### INDEX TO AUTHORS AND TITLES

- Andrus, C. F. Cell relations in the perithecium of *Ceralostoma multiannulata* 133
- Bitancourt, A. A. & Jenkins, A. E. Perfect stage of the sweet orange fruit scab fungus 489
- Blank, I. H. & Tiffney, W. N. The use of ultra-violet irradiated culture media for securing bacteria-free cultures of *Saprolegnia* 324
- Brandriff, Helen. The development of the ascocarp of *Acrospermum compressum* 228
- Buchwald, N. F. & Whetzel, H. H. North American species of *Sclerotinia* and related genera. III. *Ciboria acerina* 514
- Burlingham, G. S. New or noteworthy species of *Russula* and *Lactaria* 253
- Cash, E. K. Some ascomycetes new to California 247; Some new Colorado discomycetes 297
- Charles, V. K. The synonymy of *Botrytis Rileyi* Farlow 397
- Christenson, L. D. & Taubenhaus, J. J. Insects as possible distributors of *Phymatotrichum* root rot 7
- Cummins, G. B. Phylogenetic significance of the pores in urediospores 103
- Davidson, R. W. & Shear, C. L. The life histories of *Botryosphaeria melanops* and *Massaria Platani* 476
- Dearness, John. Reliquiae Kauffmani 209; The Mycological Society of America 98; Note on the distribution of fungi 495
- Diehl, W. W. *Helvella palustris* in Virginia 89
- Dodge, B. O. *Schizoparme straminea* and *Nectriella Versoniana* identical 95; Spermatia and nuclear migrations in *Pleurage anserina* 284; Facultative and obligate heterothallism in ascomycetes 399
- Drechsler, Charles. A new species of *Stylopaga* preying on nematodes 241; New conidial Phycomycetes destructive to terricolous Amoebae 363
- Edgerton, C. W. & Johnson, H. W. A heart rot of *Magnolia* caused by *Fomes geotropus* 292
- & Plakidas, A. G. A new imperfect fungus 82
- Fitzpatrick, H. M. The Mycological Society of America report of the fourth annual meeting 197
- Graff, P. W. North American polypores—I. *Polyporus squamosus* and its varieties 154
- Groves, J. W. *Ascocalyx Abietis* and *Bothrodiscus pinicola* 450
- Hagelstein, Robert. A critical study of the Mycetozoa of Long Island 547
- Hatch, W. R. Zonation in *Allomyces arbuscula* 439
- Hotson, J. W. The Amanitae of Washington 63; A new species of *Arachniotus* 497
- Jenkins, A. E. An undescribed species of *Taphrina* on chinquapin 31
- & Bitancourt, A. A. Perfect stage of the sweet orange fruit scab fungus 489
- Johnson, A. G. & Sprague, Roderick. A new *Pseudodiscosia* 181
- Johnson, H. W. & Edgerton, C. W. A heart rot of *Magnolia* caused by *Fomes geotropus* 292
- Jones, P. M. A new species of *Microascus* with a *Scopulariopsis* stage 503
- Kanouse, B. B. Studies of two species of *Endogone* in culture 47
- Karling, J. S. A new predacious fungus 307
- Linder, D. H. & Seaver, F. J. Report on the taxonomic sessions of the International Botanical Congress 92
- Lockwood, L. B. Fungi from laboratory reagents 10; *Rhizopus elegans* Eidam 542

- Lohwag, Heinrich. An ancient Roman toadstool carved in stone 396
- Martin, G. W. *Atractobasidium Grandinia* (Rick) comb. nov. 198; Fungi of South Australia 85; Illustrations of Myxomycetes 296; Some Australian Heterobasidiomycetes 214
- McCormack, H. W. The morphology and development of *Caliciopsis pinea* 188
- Miller, J. H. & Wolf, F. A. A leaf-spot disease of honey locust caused by a new species of *Linospora* 171
- Nussle, H. A. The genus *Underwoodia* 236
- Plakidas, A. G. & Edgerton, C. W. A new imperfect fungus 82
- Ray, W. W. Pathogenicity and cultural experiments with *Caliciopsis pinea* 201
- Rogers, D. P. *Atractobasidium* 398; Basidial proliferation through clamp-formation in a new *Sebacina* 347
- Sass, J. E. Cytology of spore germination in the bisporous form of *Psalliota campestris* 431
- Seaver, F. J. Photographs and descriptions of cup-fungi—XXII. *Dasy-scypha* 1; Mycologia special offer 85; The genera *Phillipsia* and *Cookeina* 90; Photographs and descriptions of cup-fungi—XXIII. *Stammaria* 186; British stem- and leaf-fungi 199; Photographs and descriptions of cup-fungi—XXIV. *Chlorociboria* 390; Bessey's textbook of mycology 395; The mushroom handbook 395
- & Linder, D. H. Report on the taxonomic sessions of the International Botanical Congress 92
- Shear, C. L. Uniformity and stability of mycological nomenclature 337
- & Davidson, R. W. The life histories of *Botryosphaeria melanops* and *Massaria Platani* 476
- Smith, A. H. Studies in the genus *Mycena*. III 410
- Smith, C. O. *Lepiota Morgani* in southern California 86
- Snell, W. H. Notes on Boletes. IV 13; Key to the Boletaceae 198; Notes on Boletes. V 463
- Snyder, L. C. New and unusual discomycetes of western Washington 483
- Sparrow, F. K., Jr. Chytridiaceous fungi from two unusual substrata 87; Evidences for the possible occurrence of sexuality in *Diplophlyctis* 321
- Sprague, Roderick & Johnson, A. G. A new *Pseudodiscosia* 181
- Stevens, N. E. Two species of *Physalospora* in England 330; A note on the temperature relations of certain fungi 510
- Stevenson, J. A. More pavement breakers 87
- Stewart, F. C. The persistence of *Hypholoma incertum* about tree stumps 445
- Swartz, Delbert. The development of *Lycoperdon acuminatum* 278
- Tai, F. L. Sex-reaction linkage in *Neurospora* 24
- Taubenhaus, J. J. & Christenson, L. D. Insects as possible distributors of *Phymatotrichum* root rot 7
- Thompson, G. E. *Nyctalis parasitica* and *N. asterophora* in culture 222
- Tiffney, W. N. & Blank, I. H. The use of ultra-violet irradiated culture media for securing bacteria-free cultures of *Saprolegnia* 324
- Wehmeyer, L. E. Cultural studies of three new Pyrenomycetes 35; Cultural life histories of *Melanconis* and *Pseudovalsa*. II 528
- Whetzel, H. H. & Buchwald, N. F. North American species of *Sclerotinia* and related genera. III. *Ciboria acerina* 514
- White, W. L. A new species of *Chondropodium* on *Pseudotsuga taxifolia* 433
- Wolf, F. A. A correction 85; False mildew of red mulberry 268
- & Miller, J. H. A leaf-spot disease of honey locust caused by a new species of *Linospora* 171
- Woodworth, R. H. Sporangia of a Phycomycete in vessels of *Philodendron rigidifolium* 77

INDEX TO GENERA AND SPECIES<sup>1</sup>

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in text are corrected in the index.

- Absidia 543, 544  
 Acaulopage 371; ceratospora 370, 372;  
**cercospora** 371, 372, 373, 378, 388;  
 macrospora 372, 374, 376  
 Achlya 328; polyandra 329  
 Acrosperrum 228, 232-235; com-  
 pressum 228-231; graminum 231  
 Acrotelium 112  
 Actinomucor 542, 545; repens 542,  
 546  
 Actinomyces 364  
 Agaricus squamosus 154, 159, 166  
 Agaricus 87, 93, 350, 406; aureus 159;  
 squamosus glaber 165; villosus 155  
 Allomyces 443; arbuscula 439, 441,  
 443  
 Amanita 63, 64; Caesarea 64, 65, 67,  
 397; calyptrata 64, 66, 76; calyptra-  
 toides 66; calyptroderma 64, 66,  
 76; chlorinosa 65, 69, 72, 73;  
 cothurnata 65, 70, 73, 75, 76;  
 formosa 67; junquillea 65, 69, 70;  
 Mappa 65, 74, 75; muscaria 64, 67,  
 68, 70; muscaria formosa 67; pan-  
 therina 65, 68, 70, 74-76; pantheri-  
 noides 74; phalloides 64, 66, 67, 74;  
 porphyria 74; praegemmata 65, 70;  
 rubescens 70; silvicola 65, 73; soli-  
 taria 65, 71, 72; strobiliformis 72;  
 tomentella 65, 73, 74; umbrina 68;  
 umbrinidisca 64, 66; verna 64, 67;  
 virosa 64, 67  
 Amaurascus 498, 616  
 Amaurochaete 560; fuliginosa 557  
 Amphisphaeria 341  
 Anematidium oxiphilum 10  
 Angiopsora 111  
 Arachniotus 497, 498, 501; aureus  
 497; candidus 497; citrinus 498;  
 ruber 497; trachyspermus 498, 502;  
**trisporus** 499, 500  
 Arachnopeziza 248; **Arctostaphyli** 247,  
 250, 252  
 Arcyria 560, 563, 564, 567, 592, 594;  
 carnea 557, 561; cinerea 557, 561,  
 564-566; cinerea digitata 561, 564,  
 569; denudata 557, 562-564; ferru-  
 ginea 557, 561, 562, 564, 566, 567;  
 Gabriellae 563; incarnata 557, 560,  
 563; incarnata fulgens 563; insignis  
 557, 561, 564; insignis dispersa 564;  
 insignis major 564; magna 557, 564,  
 565; nutans 557, 564-566; occi-  
 dentalis 557, 566, 567, 594; Oer-  
 stedtii 557, 565, 566; pomiformis  
 557, 561, 564, 566; stipata 557, 566  
 Armillaria 222  
 Arthrobotrys 241; oligospora 241  
 Ascobolus carbonarius 483; mag-  
 nificus 403; viridulus 483  
 Ascocalyx 451, 453, 460, 461; Abietis  
 451-454, 456-461  
 Ascocorticium 356, 358  
 Ascodesmis 152, 403  
 Ascomyces Quercus 31  
 Ascophanus Aurora 153  
 Ascoxyta Quercus 477  
 Aspergillus 11, 403; fumigatus 11;  
 herbariorum 135, 153; niger 11;  
 Phoenicis 11, Sydowi 11; Tamarii  
 11  
 Asterophlyctis sarcopoides 88  
 Asterophora 83  
 Atractobasidium 398; corticioides 198,  
 398; **Grandinia** 198, 398  
 Auricula flammea 155, 159  
 Bacillus subtilis 326, 329  
 Badhamia 557, 567, 568, 577, 601;  
 affinis 567, 568; decipiens 557, 567;  
 foliicola 557, 567, 568, 570; gracilis  
 557, 568; lilacina 557, 568; macro-  
 carpa 568; magna 557, 569, 570;  
 orbiculata 557, 569; panicea 557,  
 568, 569; papaveracea 557, 568,  
 570; rubiginosa 557, 570; utricularis  
 557, 568, 570  
 Baeomyces roseus 101  
 Bdellospora helicoides 368  
 Belonium 304; **aggregatum** 303;  
**inconspicuum** 303, 304; **Parksi** 248,  
 250, 252; pulvinatum 247  
 Boletinus 15, 16, 468; castanellus 468;  
 paluster 15, 400; pictus 16, 102;  
 squarrosoides 468  
 Boletus 102, 154; acanthoides 155;  
 affinis 18, 19; albellus 493; albidus  
 eupachypus 464; alutarius 17, 18;  
 Ananas 475; Atkinsoni 463; auripes  
 19; badiceps 18, 19, 20; bicolor 17;  
 calopus 464; carolinensis 13; cas-  
 taneus **purpurinus** 465; caudicinus  
 155, 159; cellulosus 159; **chrysen-  
 teroides** 468, 470; chrysen-  
 teron 21, 102, 469, 471; Clintonianus 400;  
 crassipes 18, 19, 20; Curtisi 13, 17;  
 decorus 22, 23; dissimilis 464;  
 eccentricus 18, 19, 20; edulis

<sup>1</sup> This index was prepared by Miss Bernice Seaver.

- pinicola 464; elbensis 400; elegans 155; felleus 17, 18, 465; felleus albiceps 466; felleus plumbeoviolaceus 465; felleus rubrobrunneus 466; fistulosus 13; frustulosus 471; fulvus 18; fumosipes 102, 469, 470, 475; Gertrudiae 17; glabellus 472; granulatus 14; hemichrysus 463; holopus 493; impolitus 14, 15, 463; indecisus 17, 18; isabellinus 475; Juglandis 155, 159, 164; leucophaeus 13, 14; miniatoolivaceus 17; mirabilis 463, 464; niveus 471, 493; obsonium 14; olivaceus 464; pachypus 464; peralbidus 471; piperatus 18; placidus 14; platyporus 159; plumbectinctus 472; polymorphus 163, 164; porphyrosporus 475; pseudodecorus 22; rangiferinus 163, 165; rhodoxanthus 465; rubescens 473; scaber 14; scabroides 472; sordidus 475; spectabilis 400; sphaerosporus 400; squamosus 154, 155, 159, 166; subalbellus 463, 471, 475; subclavatosporus 474; subdecorus 21-23; turbinatus 20; variipes 463; vaporarius 165
- Bombardia lunata* 403
- Bothrodiscus* 453, 460; pinicola 451, 453, 454, 456, 457, 460, 461
- Botryosphaeria* 330, 477, 478, 511, 513; advena 477, 479; melanops 476-480, 482, 511-513; Ribis 511, 513
- Botrytis* Rileyi 397
- Bourdolia* 217; megaspora 214
- Brefeldia* 570; maxima 553, 557, 570
- Bresadolia caucasica* 160; paradoxa 160
- Brunchorstia destruens* 459-461
- Bubakia* 106, 107, 111, 114, 117, 119, 127, 130
- Bullaria* 119, 120, 124-126
- Byssoscllamys nivea* 10, 12
- Caliciopsis* 188, 195, 202, 204, 234, 433; pinea 188-190, 192, 193, 196, 201-203, 205, 207
- Calicium* 188, 195
- Calloria* 251
- Calosporia* 528
- Calvatia craniiformis* 278, 283
- Camarosporium Ceanothi* 211
- Cantharellus* 222, 225; floccosus 102
- Cenangella* 299; Fraxini 299; *oricostata* 298, 299, 303
- Cenangium* 452; Abietis 459; pithyum 451-453, 456; Ribis 460; *strobilinum* 393; Urceolus 460, 461
- Cephalothecium* 241
- Ceratiomyxa* 571; fruticulosa 557, 571; fruticulosa arbuscula 571; fruticulosa dentata 571; fruticulosa descendens 571; fruticulosa filiformis 571; fruticulosa flexuosa 571; fruticulosa porioides 571; porioides 571
- Ceratostoma brevirostre* 137
- Ceratostomella* 134, 135, 139, 146, 148, 149, 152, 153; ampullasca 175; fimbriata 133, 142, 145-149, 152, 153; moniliformis 142, 145-148; multiannulata 133, 134, 136, 139, 141, 143, 145, 147, 148, 150, 151
- Cercospora Rubi* 85
- Cercosporella* 270-272; arachnoidea 269, 272, 274-276; maculans 272; Mori 272; Persica 270, 277
- Ceriporus squamosus* 160
- Cerotium* 129
- Ceuthocarpon* 176; populinum 176
- Cienkowskia* 572; reticulata 557, 572
- Charonectria* 252; Sambuci 252; Umbelliferarum 252
- Chlorociboria* 390; *aeruginosa* 391; *strobilina* 392, 393, 394; *versiformis* 392, 393, 394
- Chlorophyllum Molybdites* 86
- Chlorosplenium* 390; aeruginescens 391; aeruginosum 390, 391; lividum 393; Schweinitzii 390; versiforme 390, 393; versiforme nigrescent-olivacea 393
- Chondropodium* 434-436; *Pseudot-sugae* 434, 436, 437
- Chrysomyxa* 105-107, 114; Piperiana 105
- Chytridium Polysiphoniae* 88
- Ciboria* 390, 391, 514, 522, 524; *acerina* 515, 516, 517, 519-522, 524, 525, 527; *strobilina* Bresadolae 394
- Citromyces* 10
- Cladosporium* 492
- Clasterosporium degenerans* 277
- Clastoderma* 572; Debaryanum 101, 572
- Clavaria* 164; amethystina 102; Hypoxylon 163, 164
- Clitocybe* 222
- Cochlonema verrucosum* 364
- Coleosporium* 105, 107, 112, 114
- Collybia* 428; dryophila 102; floccipes 428
- Comatriza* 572, 573, 576, 589, 620; Ellisii 574; elegans 557, 573; extendens 557, 573, 575; fimbriata 622; flaccida 617; irregularis 557, 573, 575; laxa 557, 574, 575; longa 557, 573, 574; lurida 557, 574; nigra 557, 573, 574, 575, 576; nigra alta 575; pulchella 557, 573, 575, 576; pulchella fusca 575; pulchella gracilis 575, 576; Rispaudii 101, 557,

- 575; rubens 557, 574, 576; subcaespitosa 557, 575-577; typhoides 557, 576, 577, 614  
 Cookeina 90, 92; tetraspora 92  
 Coprinus 87; comatus 87; micaceus 448, 449  
 Cordyceps 341; ophioglossoides 102  
 Corniculariella 435; Abietis 435  
 Cornularia 435, 436; **harpographoides** 212; **Populi** 212; spina 435; Urceolus 435; Viburni 435  
 Corticium coronilla 350; varians 350  
 Cortinarius bolaris 102; lilacinus 102  
 Coryne versiformis 393  
 Corynesphaera 341  
 Coryneum 528  
 Craterellus 225  
 Craterium 570, 577; aureum 557, 577; concinnum 557, 577; cylindricum 557, 578; leucocephalum 557, 578; leucocephalum scyphoides 578; Maydis 607; minutum 557, 577, 578  
 Creonectria purpurea 252  
 Cribraria 578, 596, 621; argillacea 558, 579, 596; dictydioides 558, 579-581; intricata 558, 579-581; laxa 558, 579, 580; macrocarpa 558, 580; microcarpa 558, 580, 581; microcarpa concinna 581; minutissima 558, 579, 580; piriformis 558, 580, 581; tenella 558, 579-581; vulgaris 558, 581; vulgaris aurantiaca 580, 581  
 Cronartium 106, 107, 112, 114, 127, 129, 130; ribicola 131  
 Crossospora 111, 127, 129, 130  
 Crumenula 459-461; abietina 459-461; pinicola 459-461; sororia 459  
 Cryptodiaporthes 537, 538, 541; densissima 537; galericulata 537; myinda 537  
 Ctenomyces 498  
 Cumminsella 107, 108, 112, 114  
 Cunninghamella 544  
 Curreya **Corni** 209  
 Cylindrosporium acerinum 102  
 Dactylaria 241  
 Dactylella 241  
 Daldinia 341  
 Dasyscypha 1, 305; albolutea 305; crucifera 1, 5, 6; Fairmani 305; nivea 1; virginea 1  
**Dendrosporium** 84; **lobatum** 84  
 Dermatea 304, 459  
 Dermatella 299  
 Diachea 581; leucopodia 558, 581  
 Diaporthes 42, 46, 175, 541; Fagi longispora 42; oncostoma 42; strumella 42, 43, 45, 46; strumella longispora 42, 45, 46  
 Dicheirinia 107, 112, 114, 119, 127, 130  
 Dictydiaethalium 582; plumbeum 558, 582; plumbeum cinnabarinum 582  
 Dictyophora duplicata 401  
 Diorchidium 127, 130  
 Dictydium 582; cancellatum 558, 582; cancellatum fuscum 582; cancellatum purpureum 582  
 Diderma 582, 586, 587; effusum 558, 583, 584, 586, 587; effusum hyalinum 583; effusum reticulatum 583; floriforme 558, 584, 585; hemisphaericum 558, 584; montanum 558, 584, 585; radiatum 558, 584, 585; radiatum umbilicatum 584, 585; simplex 558, 585; simplex echinulatum 585; spumarioides 558, 584, 585; testaceum 558, 584, 586  
 Didymium 586, 587, 597; affine 589; anellus 558, 586, 588; Clavus 558, 586; difforme 558, 587; eximium 558, 587, 589; nigripes 558, 586-589; melanospermum 586, 587; minus 558, 587, 588; ochroideum 558, 588; squamulosum 558, 588, 589; xanthopus 558, 586, 588, 589, 607  
 Diplodia 334, 510, 511; Alni 336; Alni-rubrae 335, 336; Coryli 336; Crataegi 335, 336; Euonymi 336; Humuli 336; inquinans 336; macrospora 511-513; macrostroma 335; malorum 336; mamillana 334; mamillana sarmentorum 334; megalospora 511-513; mutila 330-333, 335; natalensis 511-513; Rosae 335; salicina 335; sarmentorum 333-335, 511-513; Siliquastri 335; Tiliae 336; vulgaris 335; Zeae 511-513  
 Diplophlyctis 321; intestina 307, 321, 322  
 Discosporium 532; pallidum 532  
 Dothidea 339-342, 344; Berberidis 340, 341; collecta 176; conspersa 339; melanops 479; melanops pycnidifera 478; moriformis 341; ribesia 340, 341; Sambuci 340, 341; Sambuci Hederae 340  
 Dothidella 341  
 Dothiorella 477, 479; advena 478, 479  
 Echinostelium minutum 622  
 Ectrogella perforans 88  
 Elsinoe 489, 491; **australis** 490, 491; Fawcetti 491, 492; Fawcetti viscosa 491  
 Elvela aeruginosa 391  
 Empusa 245  
 Endocochlus 364; asteroides 364, 366-

- 368, 370; *brachysporus* 364, 365, 367, 368, 370, 378, 388; *gigas* 364, 366, 369, 371, 378, 388
- Endogone* 47, 48, 53, 57, 60, 61, 62; fasciculata 59; macrocarpa 101; malleola 48, 59, 60, 62; *occidentalis* 47, 54, 55, 57, 59, 61; pisiformis 48, 62; reniformis 48, 59; sphagnophila 47, 48, 50, 53-55, 57, 59, 60, 61, 62
- Endomyces* 11
- Endothia* 35, 38; parasitica 46; *viridistroma* 35, 37, 38, 44
- Enerthenema* 589; *Berkeleyanum* 558, 589; papillatum 558, 590
- Enteridium* 590, 611, 621; olivaceum 558, 590; *Rozeanum* 558, 591, 611; simulans 591
- Entoloma* *cuspidatum* 102; *luteum* 102; *salmonium* 102
- Eocronartium muscicola* 102
- Erinella* 248; *borealis* 248; *byssacea* 248
- Euryachora Neowashingtoniae* 210
- Eutypella* 35, 41; *virescens* 39, 40, 41, 45
- Exidia* 217, 361; glandulosa 214; nucleata 214
- Exoascus* 297
- Favolus* 163
- Fomes applanatus* 448; *geotropus* 293, 295
- Fuligo* 591; cinerea 591, 592; cinerea ecoriata 591; septica 592, 597; septica candida 591, 592, 597; septica rufa 592
- Fusarium* 403; discolor sulphureum 443; moniliforme 404; orthoceras 11
- Fusicoccum* 528; *Testudo* 479
- Fusisporium Berenice* 451, 452, 456
- Gelasinospora* 290; *tetrasperma* 284, 288, 290, 404, 406, 409
- Gelatinosporium* 435; *Pinastris* 435
- Glaziella* 61
- Gloeoglossum affine* 102
- Gloeosporium* 173, 177, 179
- Gloeotulasnella traumatica* 350
- Glomerella cingulata* 404; *Lycopersici* 404
- Glomerula repens* 542
- Godronia* 299, 435, 436, 460; *Urceolus* 305
- Godroniopsis querneae* 299
- Gorgoniceps* 101
- Guepinia Peziza* 221
- Guepiniopsis Peziza* 221
- Guignardia Bidwellii* 191
- Gymnoascus* 497, 498
- Gymnosporangium Haraeanum* 113; *Juniperi-virginianae* 113; *Yamadae* 113, 131
- Gyrodon* 467
- Hainesia Lythri* 102
- Hapalophragmium* 119, 127, 130
- Harpella Melusinae* 246
- Helminthosporium* 403
- Helotium* 251, 390; aeruginosum 391; aureolum 251; *cremeum* 249, 250, 252; *Humuli* 251; *nitens* 250, 251, 252; separabile 251; subtrabinellum 251; sulphuratum *Piceae* 303; versiforme 393
- Helvella* 486; *crispa* 483; *lacunosa* 483; *pallescens* 89, 90; *palustris* 89, 90; *Queletii* 90
- Hemiarcyria longifila* 593
- Hemitrichia* 560, 567, 592, 597, 598, 617; *clavata* 558, 593, 594; *intorta* 558, 593; *leiocarpa* 597; *serpula* 558, 593; *stipitata* 558, 593; *vesparium* 558, 593, 594, 619
- Hendersonia* 481; *Desmazieri* 481; *Platani* 482
- Hercospora* 528, 529
- Heteropatella* 182; *Dianthi* 182, 183; *graminis* 183
- Heterotextus alpinus* 221; *flavus* 219-221
- Heterotrichia Gabriellae* 563
- Humaria* 356; *granulata* 403; *rutilans* 348, 361
- Humarina convexula* 483; *macrocystis* 484
- Hyalospora* 106, 107, 114, 117, 119
- Hydnellum humidum* 102; *scrobiculatum* 102; *velutinum* 102; *zonatum* 102
- Hydnum fennicum* 102; *imbricatum* 102
- Hydropisphaera* 341
- Hymenobolina parasitica* 622
- Hypholoma* 448, 449; *fasciculare* 350; *incertum* 445, 446, 448-450
- Hypochnus botryoides* 102; *fumosus* 102
- Hypomyces hyalinus* 102
- Hypoxylon* 153; *coccineum* 136, 149
- Hypothecha* 188
- Hysteropsis guajava* 210
- Ithyphallus Ravenellii* 87
- Kleistobolus pusillus* 101, 622
- Kuehneola* 108, 119, 129
- Lachnella crucifera* 6
- Lachnobolus* 566, 594; *congestus* 558, 594
- Lachnum* 1, 305; *calyculaeforme* 304,



- 305; calyculaeforme latebricola 305;  
fuscofloccosum 305  
Lactaria 222, 227, 253; atroviridis  
102; aurantiaca 262; chrysorhea  
102; Indigo 102; **luculenta** 260, 261;  
mitissima 262; obnubila 260, 261,  
265; rufa 263, 264; rufula 263, 264;  
vellerea 102  
Lactarius (see Lactaria)  
Lamproderma 572; arcyronema 558,  
595; columbinum 553, 558, 595;  
muscorum 101; scintillans 558, 595;  
violaceum 558, 595  
Lamprospora carbonaria 486; **fulgens**  
**484**; **pyrophila** **484**, 485  
Lentinus lepidus 163  
Leocarpus 595; fragilis 559, 595  
Lepidoderma 583  
Lepiota chlorospora 86; Morgani 86  
Leptostroma hypophyllum 171, 177  
Licea 596; biforis 101, 559, 596  
Lindbladia 596, 621; effusa 559  
Linhartia 300  
Linospora 172, 176, 177, 180, 341;  
Caprae 172, 176, 177; **Gleditsiae**  
173, 177-180; populina 176, 177  
Lycogala 596; epidendrum 552, 559,  
596; exiguum 559, 596; flavofuscum  
559, 597  
Lycopodon acuminatum 278, 280,  
282; pedicellatum 283; Wrightii 283  
  
Macrophoma Granati 97, 98  
Magnusiella 297  
Mainsia 108, 112, 119  
Maravalia 112, 119, 128, 130; hyalo-  
spora 128; utriculata 128  
Massaria atroinquinans 481; Platani  
480, 481; semitecta 481  
Melampsora 106, 107, 111, 112, 114,  
127, 130; Lini 106, 111, 131  
Melampsorella 106  
Melamporioidium 107, 114  
Melanconiella 528; larga 532; Me-  
schuttii 529; nigrospora 529  
Melanconis 528, 531, 533, 538, 541;  
Alni 537; apocrypta 533, 535, 537;  
leucostroma 538; marginalis 537;  
modonia 528; **Pallida** 529, 530, 532,  
533, 535; pernicioso 528; stilbos-  
toma 537; sulphurea 528; thelebola  
528, 537; xanthostroma 528  
Melanconium 528, 529, 531-533;  
gracile 532; juglandinum 531; inter-  
medium 530, 532, 535; magnum  
532; pallidum 532, 533; populinum  
536  
Melanops 330, 336; Tulasnei 478, 479  
Melanopus squamosus 160  
Melanospora Gibelliana 137; globosa  
137; Mangini 137; parasitica 137;  
stysanophora 137; Zabelli 137;  
Zamiae 137, 152  
Melasmia 172, 173; Gleditschiae 171,  
179; hypophylla 171, 179  
Microascus 508; intermedius 508;  
**lunasporus** **503**, 508; sordidus 508;  
trigonosporus 508  
Micropera 435  
Melanospora 135, 137, 139, 149, 151;  
aspergilliformis 137  
Milesia 106, 107, 114  
**Modicela** **48**, **60**  
Mollisia ribesia 301  
Monacrosporium 241  
Monascus 149  
Monilia sitophila 404  
Monosporidium repens 241  
Mortierella 59  
Mucilago 597; spongiosa 559, 597;  
spongiosa solida 597  
Mucor 53, 60, 542-545, 622; botry-  
oides 542, 546; christianiensis 544;  
circinelloides 544; coprophilus 544;  
corymbosus 542, 543; cunning-  
hamelloides 542, 543; genevensis  
544; geophilus 544; glomerula 542;  
griceocyanus 544; griceolilacinus  
544; hiemalis 544; javanicus 544;  
plumbeus 544; racemosus 543, 544;  
repens 542; Romannianus 50, 53;  
Romannianus angulospora 53; sto-  
lonifer 542; zeicola 544  
Mycena 410, 418, 428, 430; acicula  
414; Adonis 417; alcalina 419, 421;  
amicta 410, 416-418; atribrunnea  
428; atroalboides 424; aurantiidisca  
414; aurantiummarginata 410, 412,  
419-421; bryophila 413; capillaripes  
412, 421; cinerella 412, 422;  
Cooliana 413, 429; corticola 418;  
cyaneobasis 418; cyanothrix 418;  
elegans 416, 420, 421; excisa 423;  
filipes 423, 424; galopoda 410, 424;  
iodiolens 424; iris caerulea 418;  
juncicola 410, 412, 416, 425; Leaiana  
420; Meulenhoffiana 413; militaris  
426; mirata 429; **nodulosa** **411**;  
**oregonensis** **412**, **413**, **414**; pterigena  
425; quiniaultensis 415; roseipallens  
417; scabripes 410, 426-428; **sis-  
kiyouensis** **414**; strobilinoidea 413;  
subcaerulea 418, 419; subvulgaris  
415; **tenax** **410**, **414-416**, 427;  
tenella 428; trachyspora 410, 412,  
429; vulgaris 415, 426  
**Mycosphaerella** **85**, 176, 271, 272;  
**arachnoidea** **275-277**; **confusa** **85**;  
dubia 85; Mori 272, 273; moricola  
272-275  
Mylittopsis Langloisii 350  
Myxosporium 528  
Myxotrichum 498

- Naemosphaera pinicola* 211  
*Nectria* 341; *galligena* 135, 152;  
*Heraclei* 252; *mammoidea* 135, 153;  
*Sambuci* 252  
*Nectriella* 98, 247; *dacrymycella* 252;  
*Sambuci* 252; *Umbelliferarum* 252;  
*Versoniana* 95, 97  
*Neopatella Kauffmani* 212  
*Neurospora* 24, 29, 30, 100, 284, 285,  
 288, 290, 291, 405, 406; *crassa* 24,  
 29, 30; *intermedia* 29; *sitophila* 29,  
 403, 405, 408, 409; *tetrasperma* 24,  
 29, 288, 290, 291, 349, 360, 404-409;  
*Toroi* 29, 404  
*Niptera* 300  
*Nomuraea* 397; *prasina* 397  
*Nyctalis* 222; *asterophora* 222-227;  
*parasitica* 222-227  
*Obelidium mucronatum* 88  
*Oligonema* 597, 598, 618; *brevifilum*  
 598; *flavidum* 559, 597, 598; *nitens*  
 559, 594, 598  
*Ombrophila strobilina* 394  
*Omphalia* 423; *picta* 423  
*Ophiodothella* 176, 177, 180  
*Ophiotheca* 599; *Wrightii* 599  
*Orcadella operculata* 622  
*Othia Pyri* 330  
*Papulospora aspergilliformis* 137, 152  
*Patella abundans* 486  
*Patouillardina* 398; *cinerea* 398  
*Paxillus* 16  
*Paxina* 486; *compressa* 485, 486;  
*recurva* 485, 487  
*Penicillium* 12, 403, 499; *cupricum* 10,  
 12; *glaucum* 10, 12; *lilacinum* 10,  
 11; *luteum* 404; *purpurogenum* 11  
*Peckiella lateritia* 135, 153  
*Peniophora* 217; *aurantiaca* 350  
*Perichaena* 599; *chrysosperma* 559,  
 599, 600; *corticalis* 559, 596, 599,  
 600; *depressa* 559, 600; *vermicularis*  
 559, 599, 600  
*Peridermium himalayense* 131  
*Peripherostoma* 341  
*Petersenia lobata* 88  
*Peziza* 2, 4, 452; *Abietis strobilina*  
 393; *aeruginescens* 391; *aeruginosa*  
 391; *aurantia* 2; *barbata* 3; *brun-*  
*neola* 3; *bufonia* 487; *bulgaroides*  
 394; *Catinus* 348; *chlora* 390;  
*ciborioides strobilaria* 393; *clandes-*  
*tina* 3; *crucifera* 2, 3, 4; *echinulata*  
 2, 3; *epixantha* 3; *gracilipes* 525;  
*gracilipes tetraspora*, 524, 525;  
*incondita*, 524, 525, 526; *latebricola*  
 3; *macrocystis* 484; *marginata* 3;  
*palearum* 3; *papillaris* 3; *patula*  
 3; *pellita* 3; *pinicola* 460; *rosea* 3;  
*scabrovillosa* 3; *Schweinizii* 3; *solf-*  
*tera* 3; *Spiraeae* 3; *tuberosa strobilina*  
 393; *versiformis* 393; *versiformis*  
*livida* 393; *virginica* 3, 4  
*Pezizella aspidicola* 251; *aurantiaca*  
 301, 303; *chrysostigma* 251; *versi-*  
*color* 251  
*Phaeotremella* 214  
*Phakopsora* 107, 111, 114  
*Phallus impudicus* 401  
*Phellodon alboniger* 102; *velereus* 102  
*Phialophora* 288  
*Phillipsia* 90; *domingensis* 92; *gi-*  
*gantea* 92  
*Phleogena* 350  
*Phoma* 96, 341; *Anemones* 210;  
*Granati* 98; *regina* 211; *Versoniana*  
 97, 98  
*Phomopsis Versoniana* 97  
*Phragmidium* 107, 112, 114, 116  
*Phragmopyxis* 107, 116  
*Phycomyces* 402  
*Phylloporus* 16  
*Phyllostictina carpogena* 191  
*Phymatotrichum* 7, 8, 9; *omnivorum*  
 7, 8, 9  
*Physalospora* 330, 331, 332, 477, 478,  
 511; *Cydoniae* 333; *glandicola* 332,  
 511-513; *mutila* 333, 511, 513;  
*obtusata* 330, 333, 511-513; *rhodina*  
 332  
*Physarella* 601; *oblonga* 601, 603, 607  
*Physarum* 601, 605, 607; *aureum* 609;  
*bogoriense* 559, 601; *cinereum* 559,  
 601, 602, 609; *cinereum nitens* 609;  
*citrinum* 559, 602; *compressum* 559,  
 602, 605; *confertum* 559, 602; *con-*  
*natum* 567, 604-606; *didermoides*  
 559, 602; *didermoides lividum* 602;  
*flavicomum* 559, 602; *galbeum* 559,  
 603; *globuliferum* 559, 603, 604-  
 607; *gyrosum* 559, 601, 603;  
*lateritium* 559, 603, 609; *leuco-*  
*phaeum* 567, 604; *leucopus* 101,  
 605; *Maydis* 607; *melleum* 559, 604;  
*murinum* 559, 603, 604; *notabile*  
 559, 567, 602-604, 606; *nucleatum*  
 559, 606, 608; *nutans* 559, 604-606,  
 610, 611; *nutans leucophaeum* 605;  
*nutans robustum* 605; *oblatum* 559,  
 606, 608; *penetrans* 101, 552, 559,  
 607; *polycephalum* 559, 601, 607;  
*polycephalum obrussum* 607; *pul-*  
*cherrimum* 559, 607; *pusillum* 559,  
 606, 607; *rubiginosum* 559, 608;  
*sessile* 608, 609; *sinuosum* 559, 608;  
*sulphureum* 608, 609; *tenerum* 559,  
 602, 608; *variabile* 559, 608, 609;  
*vernum* 601, 602; *virescens* 559,  
 602, 604, 609; *viride* 559, 609-611;  
*viride aurantium* 609; *viride Beth-*



- elii 609; viride incanum 606, 609, 610  
 Physospora 83  
 Phytophthora 328, 329; infestans 376  
 Pilacre Petersii 350  
 Pileolaria 107, 108, 112, 114, 119, 128, 130, 131; phyllodiorum 128  
 Pithya vulgaris 488  
 Platygloea 198; Grandinia 198, 398  
 Plectania 90  
 Pleospora 403  
 Pleotrachelus Andréi 88; sphacellarum 88; tumefaciens 88  
 Pleurage 284; anserina 285-291; 404, 406, 409; taenioides 285, 286, 404, 409  
 Plowrightia 340; morbosa 176  
 Pluteus coccineus 493; leoninus 493  
 Podospora anserina 285, 291; curvula 285  
**Polyporoletus 467; sublividus 467**  
 Polyporus 156, 165, 169; arcularius 168; Berkeleyi 102; caudicinus 155, 160; fagicola 157, 166-168; fagicola glaber 168; flabelliformis 159; flammeus 155; flavovirens 102; giganteus 155; infundibuliformis 165; Montagnei 102; pallidus 165, 166, 168; pennsylvanicus 165, 167-168; Rostkowi 165, 166, 168; sessilis 155, 159; squamosus 154-168; squamosus aureus 161, 166; squamosus erecta 161; squamosus **fagicola 166**; squamosus glaber 165; squamosus **polymorphus 163**; tigrinus 159; Ulmi 159; vaporarius 165  
 Polystigma rubrum 135, 152  
 Pontisma lagenidioides 88  
 Poria eupora 102; vaporaria 165  
 Propolis Betulae 298; faginea 298; faginea **atra 297 [bis]**  
 Prospodium 107, 108, 112, 114, 119  
 Psalliota campestris 431, 432  
 Psathyrella disseminata 449  
 Pseudodiscosia 182, 183; **Avenae 182, 183, 184**; Dianthi 182  
 Pseudographium 434; Persicae 434  
 Pseudohelotium laricinum 303  
 Pseudoplectania fulgens 484  
 Pseudovalsa 528, 529, 538, 541; aucta 541; macrosperma 541; stylospora 537, 538, 540, 541  
 Psorotheciopsis 300  
 Puccinia 107-112, 114-126, 128-130, 406; anomala 123, 128; Balsamorhizae 110; Bistortae 124; Blasdalii 112, 123; Cockerelliana 128; cognata 110; conspicua 112, 128; coronata 112, 123, 128; Cyani 110; Eatoniae 112, 123, 128; evadens 112; glumarum 112, 123, 128; graminis Tritici 113, 131, 132; granulispora 123; Helianthi 124; Hordei 123, 128; karelica 129; Koeleriae 123, 128; Liatridis 112, 123, 128; montanensis 128; nuda 110; orbicula 124, 125; Oxalidis 112; paradoxica 124; phyllodiorum 128; Piperi 128; Pluchaeae 110, 111; Poae-sudeticae 112, 128; Poarum 128; Porri 123; procera 128; pygmaea 128; recedens 102; rubigovera 112, 128; sessilis 128; subangulata 123; subdecora 110; tenuis 102; turgidipes 110; vexans 113  
 Pucciniastrum 106, 107, 114; Myrtilli 102  
 Pycnocalyx Abietis 453, 454, 456  
 Pyrenopeziza rimicola 301  
 Pyronema 133, 137, 148, 347-349, 355, 356, 358, 403; confluens 153, 355, 360, 361  
 Ravenelia 107-109, 112, 114, 115, 118, 127, 130, 132; Cassiae-Covesii 109; Hoffmanseggiae 109  
 Reticularia 611; Lycoperdon 559, 591, 611  
 Rhabdospora **Arctii 211**  
 Rhizidium mycophilum 88  
 Rhizoclosmatium globosum 88  
 Rhizophidium discinctum 88; globosum 88  
 Rhizopus 542-545; arrhizus 543; Artocarpi 543, 544; bovinus 544; chinensis 544; Cohnii 544; delemar 544; elegans 542-545; formosaensis 544; fusiformis 543, 544; liquefaciens 543; microsporus 543; nigricans 542-545; nigricans verticillatus 543; nodosus 544; Oryzae 544; Peka 544; pusillus 544; pygmaeus 543, 544; reflexoides 544; reflexus 543, 544; shanghaiensis 544; suinus 544; Tritici 544; umbellatus 543  
 Rhytisma acerinum 175, 180  
 Russula 222, 227, 253; amoena 267; astringens 259; atroviolacea 254, 258; badia 259; brunneola 265; **californiensis 262, 263, 266**; corinthiirubra 254; foetens 222, 227; gracilis 255; **inconstans 255, 256**; integra 257; maculata 256; **marginata 257, 259**; Mariae 253, 264, 267; **mordax 258, 259, 267**; murina 254; nigricans 227; **placita 253, 254, 256**; puellaris 257; punctata 267; Romellii 264; sanguinea 265; tenuiceps 259; vesca 265; **Zellerii 256**  
 Rutstroemia bulgaroides 394  
 Sacidium Gleditschiae 171, 177  
 Saprolegnia 324, 325, 327-329

- Sarcoscypha* 90  
*Schizoparme* 97; *straminea* 95, 97  
*Scleroderma* Geaster 87  
*Scleroderris* 460, 461; *lobata* 248, 250, 252; *pitya* 465; *ribesia* 249; *Ribis* 461; *tumoricola* 249  
*Sclerotinia* 297 [bis], 305; *Gladioli* 403, 524, 526; *incondita*, 526  
*Scopulariopsis* 503, 508; *lunaspora* 504, 508  
*Sebacina* 217, 351, 352, 357, 361; *calospora* 351; *fugacissima* 351; *globospora* 361; *incrustans* 102; *megaspora* 214, 215, 221; *prolifera* 350-352, 356-360, 362; *Pululahuana* 217  
*Secotium agaricoides* 283  
*Seismosarca* 217, 218; *alba* 217; *hydrophora* 217, 218, 220, 221  
*Septogloeum parasiticum* 213  
*Siphonaria* 323; *variabilis* 88  
*Sirobasidium* 218; *Brefeldianum* 218; *Cerasi* 218; *magnum* 218; *sanguineum* 218, 220, 221  
*Siroplidium Bryopsisidis* 88  
*Sommerstorffia* 309; *spinosa* 307, 311, 313, 320  
*Spathularia velutipes* 101  
*Sphaceloma* 491, 492; *australis* 491; *Fawcetti viscosa* 489, 491, 492  
*Sphaerella* 272; *dubia* 85; *Mori-albae* 272, 273; *morifolia* 272, 273, 275  
*Sphaeria moricola* 275; *Pupula* 481; *quercina* 479; *sarmentorum* 334, 335  
*Sphaerographium* 119, 127, 130, 434  
*Sphaerographium hystricinum* 435  
*Sphaeropsis* 341, 531; *cornicola* 211; *depressa* 335; *Mali* 331, 332; *malorum* 330-332, 511; *pseudodiplodia* 333  
*Sphaerospora brunnea* 101  
*Spicaria* 397, 398; *prasina* 397; *Rileyi* 398  
*Sporodinia* 403  
*Sporotrichum* 11  
*Stamnaria* 186; *Equiseti* 186; *Thujae* 186, 187  
*Steganosporium Platani* 482  
*Steironema ciliatum* 102  
*Stemonitis* 572, 576, 611, 613, 620, 621; *axifera* 559, 611, 612, 615; *carolinensis* 559, 612; *confluens* 559, 612; *fenestrata* 559, 612; *flavogenita* 559, 613; *fusca* 559, 611, 613, 615, 616; *fusca flaccida* 614; *fusca rufescens* 613; *herbatica* 559, 613-615; *hyperopta* 559, 613, 614; *pallida* 559, 612-615; *Smithii* 559, 613-615; *splendens* 559, 611, 612, 615-617; *splendens flaccida* 617; *trechispora* 559, 615, 616; *virginien-sis* 559, 613, 616; *Webberi* 559, 616, 617  
*Stephanoma strigosum* 102  
*Stilbospora* 528; *quadrisepata* 481  
*Stylopage* 374; *araea* 244; *hadra* 241-245, 376; *leiohypha* 243, 244, 246; *lepte* 376; *rhabdospora* 374, 375, 377, 388  
*Syncephalastrum* 544  
*Syphosphaera* 341  
*Systremma* 341  
*Tapesia* 300, 301; *coloradensis* 301; *Lonicerae* 299, 303; *melaleucoides* 301; *ribicola* 300, 301, 303  
*Taphrina* 31, 32, 33, 297; *castanicola* 32; *Castanopsidis* 32, 33; *coerulescens* 32, 297; *Quercus* 32  
*Texifigia Corni* 101  
*Thecotheus Pelletieri* 153  
*Tranzschelia* 107, 108, 112, 114  
*Trematosphaeria cornina* 209  
*Tremella* 361; *frondosa* 214; *mycetophila* 102  
*Tremellodendron pallidum* 102  
*Trichia* 553, 592, 597, 598, 617, 618; *affinis* 560, 617, 619, 620; *alpina* 560, 618; *Botrytis* 560, 618; *Botrytis flavicomis* 618; *contorta* 560, 618; *decipiens* 560, 618; *decipiens olivacea* 618; *favoginea* 560, 617, 618, 619; *floriformis* 560, 619; *inconspicua* 560, 619; *persimilis* 560, 594, 617, 618, 619, 620; *pulchella* 560, 617, 620; *scabra* 560, 620; *varia* 560, 617, 620  
*Trichobelonium* 303  
*Tricholoma* 428  
*Trichothecium* 241  
*Tubifera* 596, 620, 621; *Casparyi* 560, 620, 621; *ferruginosa* 560, 596, 621; *stipitata* 560, 621  
*Tulasnella* 348, 361; *rutilans* 350  
*Tympanis* 459; *conspersa* 339  
*Underwoodia columnaris* 236, 237, 240  
*Uredinopsis* 106, 107, 114  
*Uromyces* 108, 112, 114, 116-120, 122-124, 126, 128-130; *occidentalis* 124; *punctatus* 124  
*Uromycladium* 119, 127, 128, 130  
*Uropyxis* 107, 112, 114, 116, 119  
*Valsa* 35, 341  
*Venenarius praegemmatum* 70; *umbinidiscus* 66

- Volvaria gloiocephala 396; speciosa 396  
 Xylaria polymorpha 136; tentacularia 136, 149  
 Zoopage 378, 381, 384; **atractospora** 378, 379, **381**, 383, 386, 389; **clado-**  
**sperma** 364, 384-386, 389; **nemato-**  
**spora** 364, 381, **383**; phanera 376,  
 378, 380, 381, 384, 386  
 Zoophagus 318; insidians 307-313,  
 315, 316, 318-320, **tentaculum** 308,  
 309, 312, 313, 315, 316, 319  
 Zygorhynchus 403  
 Zythia 96, 97; Versoniana 95